


Building 3D models of proteins



Why make a structural model for your protein ?

The structure can provide clues to the function

With a structure it is easier to guess the location of functional sites

With a structure we can plan more precise experiments in the lab

We can do docking experiments (both with other proteins and with small molecules)

Basic principles for structural modeling

Use any piece of information available from the existing databases regarding the protein you wish to model and its family

Choose the most suitable algorithm according to the available data that you have.


Create alternative models

Check your models

Building by homology (Homology modeling)

Alignment with proteins of known structure

M	A	A	G	Y	A	Y	G	V	L	S
-	A	T	G	F	D	-	-	V	I	D
-	A	S	G	F	E	-	-	V	V	E
-	A	K	A	Y	L	-	-	V	L	S



structural model

Fold recognition (Threading)

The sequence:

M A A G Y A V L S

+

Known protein folds



structural model

Ab initio

The sequence

M A A G Y A V L S



structural model

Building by homology

There are hundreds of thousands of protein sequences but only several thousands protein folds

For every second protein that we randomly pick from the structural data base there is “close” homolog (identity > 30%). This homolog almost always has the same fold.

In the current projects for experimental determination of protein structures, priority is given to determine structures of protein without homologs in the structural databases (structural genomics)

We believe that in several years we will have almost all the basic folds

Steps of building by homology

Look for homology between your sequence and proteins in the structural databases. Known algorithms such as Blast can be used.

If no hits were obtained, it is possible to use multiple alignment of the family for the search. This might be more sensitive.

Construct accurate alignment between the query sequence and all the hits that will be serve as the template during the building

Correct alignment is crucial for this step. Any mistake can lead to significant errors in the final model

A possible alignment algorithms are for example ClustalW and T-Coffee. Manual intervention is sometimes required, especially for weak homology. More sequences within the protein family increase the chance for correct alignment.

Therefore, it is frequently recommended to search sequence databases (such as SwissProt) and not only structural databases.

Find proteins with known structure which are similar to your sequence

build alignment

Build structural model

Check the model

Finish

Constructing the model

Determine the secondary structures according to the alignment

Determine structural reference according to the coordinates of the known structures. For conserved regions we can take the coordinates of the most similar homolog in that particular region.


The main methods to determine structural reference during homology modeling are:

Fragment based homology

Build the conserved regions (usually secondary structures) and then build the loops

Distance constraints



Building using distance constraints derived from the known structures and from the properties of the molecule.



Construction of loops might be done by:

Using database of loops which appear in known structures. The loops could be categorized by their length or sequence

Ab initio methods - without any prior knowledge. This is done by empirical scoring functions that check large number of conformations and evaluates each of them.




Several web pages for homology modeling

COMPOSER – felix.bioccam.ac.uk/soft-base.html

MODELLER – guitar.rockefeller.edu/modeller/modeller.html

WHAT IF – www.sander.embl-heidelberg.de/whatif/

SWISS-MODEL – www.expasy.ch/SWISS-MODEL.html



Swiss-Model

<http://www.expasy.ch/swissmod/SWISS-MODEL.html>



SWISS-MODEL

An Automated Comparative Protein Modelling Server

SWISS-MODEL is a fully automated protein structure homology-modeling server, accessible via the [ExPASy](http://www.expasy.ch) web server, or from the program [DeepView](#) (Swiss Pdb-Viewer). The purpose of this server is to make Protein Modelling accessible to all biochemists and molecular biologists World Wide.

The present version of the server is 3.5 and is under constant improvement and debugging. In order to help us refine the sequence analysis and modelling algorithms, please [report](#) of possible bugs and problems with the modelling procedure.

SWISS-MODEL was initiated in 1993 by Manuel Peitsch, and is now being further developed within the [SIB](#) in collaboration between [GlaxoSmithKline R&D](#) (Geneva) and the [Structural Bioinformatics Group](#) at the Biozentrum (University of Basel). The computational resources for the SWISS-MODEL server are provided by collaboration with the [Advanced Biomedical Computing Center](#) (NCI Frederick, USA).

Methods and Programs used by SWISS-MODEL

• Sequence Alignment:

- BLAST:
Altschul S.F., Gish W., Miller W., Myers E.W., Lipman D.J. Basic local alignment search tool. *J. Mol. Biol.* 215:403-410. (1990)
- SIM:
Huang X., and Miller, M. A time-efficient, linear-space local similarity algorithm. *Adv. Appl. Math.* 12,337-367. (1991)
- ProModII:
Guex N., and Peitsch, M.C. Structurally corrected multiple alignments.

• Comparative Protein Modelling:

- ProMod / ProModII:
[Several publications](#).

• Energy Minimisation:

- ChromoS6:
Information on this force field can be obtained from the [ETH](#) in Zürich.

• Model Evaluation:

- [Swiss-PdbViewer](#):
Provides all necessary tools to evaluate the quality of a model. This feature is thus no longer provided by the SWISS-MODEL server.

Modeller

http://guitar.rockefeller.edu/modeller/about_modeller.shtml



Advanced program for homology modeling

Based on distance constraints

Implemented in several popular modelling packages such as InsightII

The source is available for unix platforms at the above URL

Threading (fold recognition)

The input sequence is threaded on different folds from library of known folds

Using scoring functions we get a score for the compatibility between the sequence and the structure

Statistically significant score tells that the input protein adopts similar 3D structure to that of the examined fold

This method is less accurate but could be applied for more cases

When the “real” fold of the input sequence is not represented in the structural database we can not get correct solution by this method

The most important part is the accuracy of the scoring function. The scoring function is the major difference between different programs for fold recognition

Scoring functions for fold recognition

There are 2 basic methods to evaluate sequence-structure (1D-3D) compatibility

In methods based on structural profile, for every fold a profile is built based on structural features of the fold and compatibility of every amino acid to the features.

The structural features of each position are determined based on the combination of secondary structure, solvent accessibility and the property of the local environment (hydrophobic/hydrophilic)

The profile is a defined mathematical structure, adjusted for pair-wise comparisons and dynamic programming

Amino acid type


Position on sequence	Amino acid type						
	A	C	D	...	Y	G _{op}	G _{ext}
1	10	-50	101		-80	100	10
2	-24	87	-99		167	100	10
:	:	:	:	:	:	:	:
N						100	10

Contact potentials


This method is based on predefined tables which include pseudo-energetic scores to each pair-wise interaction of two amino acids.

For each given conformation to be evaluated, a distance matrix can be constructed.



For each pair of amino acids which are close in space the interaction energy is summed. The total is the indication for the fitness of the sequence into that structure



Input:



Library of folds of known proteins



Web sites for fold recognition

Profiles:

3D-PSSM - <http://www.bmm.icnet.uk/~3dpssm>

Libra I - http://www.ddbj.nig.ac.jp/htmls/E-mail/libra/LIBRA_I.html

UCLA DOE - <http://www.doe-mpi.ucla.edu/people/frsvr/frsvr.html>

Contact potentials

123D - <http://www-Immb.ncifcrf.gov/~nicka/123D.html>

Profit - <http://lore.came.sbg.ac.at/home.html>

Ab initio methods for modelling

This field is of great theoretical interest but, so far, of very little practical applications. Here there is no use of sequence alignments and no direct use of known structures

The basic idea is to build empirical function that simulates real physical forces and potentials of chemical contacts


If we will have perfect function and we will be able to scan all the possible conformations, then we will be able to detect the correct fold


Algorithms for *Ab initio* prediction include:

- A. Searching procedure that scans many possible structures (conformations)
- B. Scoring function to evaluate and rank the structures

Due to the large search space, heuristic methods are usually applied

The parameters in the searching procedure are the dihedral angles which specify the exact fold of the polypeptide chain





Methods to evaluate structures are based on

Force fields- collection of terms that simulate the forces act between atoms

Terms based on probabilities to find pairs of amino acids or atoms within specific distances

Terms based on surface area and overlapping volume of spheres representing atoms

Side chain construction

In homology modeling, construction of the side chains is done using the template structures when there is high similarity between the built protein and the templates

Without such similarity the construction can be done using rotamer libraries

A compromise between the probability of the rotamer and its fitness in specific position determines the score. Comparing the scores of all the rotamer for a given amino acid determines the preferred rotamer.

In spite of the huge size of the problem (because each side chain influences its neighbors) there are quite successful algorithms to this problem.


Conformation - a given set of dihedral angle which defines a structure.


Rotamer - energetically favourable conformation.

Example of a rotamer library:

SER	59.6	41.0
SER	-62.5	26.4
SER	179.6	32.6

TYR	63.6	90.5	21.0
TYR	68.5	-89.6	16.4
TYR	170.7	97.8	13.3
TYR	-175.0	-100.7	20.0
TYR	-60.1	96.6	10.0
TYR	-63.0	-101.6	19.3







Model evaluation

After the model is built we can check its validity by various ways. We can check that the model has a reasonable shape and that it is usually obey geometric constraints.

If the model turns out to be bad, it is necessary to repeat several stages of the model building



We can easily assess homology modeling procedures by building models for proteins which have already solved structure and compare between the model and the native structure

It is always possible that information from the native structure will be used in direct or indirect ways for model building

A more objective test is prediction of structures before they are publicly distributed (this is the idea of the CASP competitions)